REMARKS/ARGUMENTS

Favorable reconsideration of this application as presently amended and in light of the following discussion is respectfully requested.

Claims 1-17 and 19 are pending in the present application, Claim 19 having been added. Support for new Claim 19 is found, for example, at page 7, line 10. Applicants respectfully submit that no new matter is added.

In the outstanding Office Action, Claims 1-9 and 11-12 were rejected as unpatentable under 35 U.S.C. § 103(a) over the reference Lindsay et al. (U.S. Patent Publication No. 2004/0238379, hereinafter "Lindsay") in view of Kariyone et al. (U.S. Patent No. 5,242,793, hereinafter "Kariyone"), in further view of Hafeman et al. (U.S. Patent No. 5,164,319, hereinafter "Hafeman"); Claim 10 was rejected under 35 U.S.C. § 103(a) as unpatentable over the reference Lindsay in view of Kariyone and Hafeman, in further view of Hashimoto (U.S. Patent Publication No. 2001/0024788); Claim 13 was rejected as unpatentable under 35 U.S.C. § 103(a) over the reference Lindsay in view of Kariyone and Hafeman, in further view of Price (U.S. Patent No. 5,805,014); Claims 14-15 were rejected under 35 U.S.C. § 103(a) as unpatentable over the reference Lindsay in view of Kariyone and Hafeman, in further view of Hollis et al. (U.S. Patent No. 5,653,939, hereinafter "Hollis"), Dryja et al. (U.S. Patent No. 5,498,521, hereinafter "Dryja".) and Blackburn (U.S. Patent Application No. 2003/0190608); Claims 14 and 16 were rejected under 35 U.S.C. § 103(a) as unpatentable over the reference Lindsay in view of Kariyone and Hafeman, in further view of Hollis et al. (U.S. Patent No. 5,653,939, hereinafter "Hollis"), Sorenson (U.S. Patent No. 5,496,699) and Blackburn; and Claim 17 was rejected under 35 U.S.C. § 103(a) as being unpatentable over Lindsay, in view of Kariyone and Hafeman, in further view of Anderson et al. (U.S. Patent No. 5,922,591, hereinafter "Anderson").

Applicants respectfully traverse the outstanding grounds of rejection. Claim 1 patentably distinguishes over <u>Lindsay</u>, <u>Kariyone</u>, and <u>Hafeman</u>, when taken in proper combination. In support of this traversal, Applicants submit that Declaration of Dr. Fromhertz.

Pages 4-6 of the outstanding Office Action take the position that a person of ordinary skill in the art, at the time the claimed invention was made, would combine the teachings of Lindsay and Kariyone. Applicants respectfully disagree with this position.

The outstanding Office Action asserted that the combination of <u>Lindsay</u> and <u>Kariyone</u> is obvious for one of ordinary skill in the art, and provided the following reasoning for the obviousness:

The ordinary artisan would have been motivated to make the modification because said modification would have resulted in a method having the added advantage of providing a quality control indicator for each of the sensors of the method as a result of confirming the stable immobilization of the probe to the surface as explicitly taught by Kariyone et al. (column 17, lines 1-10). In addition, it would have been obvious to the ordinary skilled artisan that the known technique of using the initial detection of the immobilization of a probe as taught by Kariyone et al could have been applied to the method of Lindsay et al with predictable results because the known technique of using the initial detection of the immobilization of a probe as taught by Kariyone et al predictably results in verification of stably immobilized probes.

(Office Action, p. 5, ll. 3-12.) Applicants respectfully disagree with this position.

Lindsay is directed to a method for electronically detecting hybridization of a probe nucleic acid and a target nucleic acid.¹ For his method, Lindsay explains that a back-gated field effect transistor FET is used, where a layer of silicon 10 is provided on a buried oxide layer 20, located on a silicon wafer or substrate 30, where a source 40 and drain 50 and a n-channel 65 are provided in the silicon 10.² Lindsay also explains that when the FET is operated with a buffer including a DNA on the channel 65 for a measurement, an applied drain-source bias voltage 70 is kept constant, and a backgate voltage 60 V_{bg} is grounded, so

² Fromhertz Decl., paragraph 8.

¹ Fromhertz Decl., paragraph 8.

that his silicon wafer or substrate 30 is also grounded.³ In light of this configuration of Lindsay's FET, it is not possible to fix both the potential of the fluid, and the gate voltage.⁴ The buffer (or fluid) is electrically isolated from the semiconductor structure by oxide layer 110 and passivating layer 100. Electrical connections are provided only to the solid state parts of the device in Lindsay.⁵

There is a fundamental difference between Claim 1 of the present application and Lindsay in the way the electrical potential is applied to and distributed between the different parts of the structure. There is a significant distinction among electrical potentials in liquid, at the liquid-solid interface, and in the semiconductor. At the time the invention of Claim 1 in the present application was made, the energy alignment and band bendings at the semiconductor liquid interface were important topics subject to significant controversy.⁸ For instance, people from the solid state physics field use different terminology and intellectual concepts than people from the electrochemistry fields. A broadly accepted conceptual framework bridging the different fields is still lacking. ¹⁰ Finding an appropriate mode of detection is thus difficult, since it requires a combination of non-trivial insights from different fields, in particular semiconductor device physics and technology, semiconductor surface science, electrostatics and chemistry of silica surfaces in contact with aqueous solutions. 11

In Lindsay, the inversion layer is defined by a back-gate, which is a pure semiconductor device configuration fixing the working point of a FET.¹² Lindsay does not clarify the effect of the solution on this working point, or how the detection is supposed to

³ Fromhertz Decl., paragraph 9.

⁴ Fromhertz Decl., paragraph 10.

⁵ Fromhertz Decl., paragraph 10.

⁶ Fromhertz Decl., paragraph 12.

⁷ Fromhertz Decl., paragraph 12.

⁸ Fromhertz Decl., paragraph 12.

⁹ Fromhertz Decl., paragraph 12.

¹⁰ Fromhertz Decl., paragraph 12.

¹¹ Fromhertz Decl., paragraph 12.

¹² Fromhertz Decl., paragraph 13.

function. 13 This is because the electrostatic potential of the semiconductor surface facing the fluid is not well defined in Lindsay. 14 Although Lindsay's paragraph 39 describes how the source current drops after the hybridizing target DNA is introduced, the physical mechanism of the proposed detection is not clear. 15 In fact, the electrostatic potential of the surface, and in turn the electric field on the channel 65, is not well defined in the Lindsay configuration. 16 To achieve a reproducible detection, the skilled person in the art needs to control, at a molecular level, the charging state of the surface. According to Dr. Fromhertz, there was no method to achieve such control at the date of the invention, other than what is disclosed in Applicants' specification.¹⁷

Claim 1 of the present application uses a reference electrode in the solution to fix both the potential of the electrolyte solution with respect to the semiconductor on the liquid side of the liquid solid interface. 18 This aspect plays a fundamentally different role than the back gate electrode in Lindsay, and accounts for the above-mentioned liquid-solid interface issue, which Lindsay fails to address.¹⁹

Unlike the invention defined by Claim 1 of the present application, the back gate electrode of Lindsay does not fix a potential of the electrolyte solution. 20 Lindsay fails to consider the coupling of the active regions to the liquid, and thus to consider the role this coupling plays in biomolecule detection.²¹ This difference is profound and is not a trivial difference between the configuration of Lindsay and Claim 1 of the present application.²² Lindsay's back gate simply is a semiconductor device configuration to adjust the drain

¹³ Fromhertz Decl., paragraph 13.

¹⁴ Fromhertz Decl., paragraph 13.

¹⁵ Fromhertz Decl., paragraph 13.

¹⁶ Fromhertz Decl., paragraph 13.

¹⁷ Fromhertz Decl., paragraph 13.

¹⁸ Fromhertz Decl., paragraph 14.

¹⁹ Fromhertz Decl., paragraph 14.

²⁰ Fromhertz Decl., paragraph 15.

²¹ Fromhertz Decl., paragraph 15.

²² Fromhertz Decl., paragraph 15.

Reply to Advisory Action dated May 27, 2010, and Office Action dated December 7, 2009

current, known by specialists in semiconductor device physics and technology.²³ The electrode of Claim 1 does not only adjust the drain current, but directly influences the sensing electrolyte solid state interfaces.²⁴ Its most important role is to provide a common electrostatic potential to the different active regions of the array.²⁵ In the present application the electrode thus plays an entirely new and important role, allowing for reproducible differential detection.²⁶

Kariyone describes an electrochemistry approach, based on electrodes that sustain electrical current. The electrodes have an electrically conducive base, and a selectively permeable membrane which is produced by forming a membrane from a mixed solution comprising (a) albumin, (b) at least one type of cross-linking agent and (c) chitosan.²⁷ The electrode is used to detect consumption of oxygen or formation of hydrogen peroxide in biochemical reactions by an immobilized enzyme.²⁸ In order to avoid the detection of other substances, such as ascorbic acid, Kariyone explains that a selective permeable membrane can be placed between the immobilized enzyme and the hydrogen peroxide electrode.²⁹

Regarding Kariyone's measurement system, it is explained that a working electrode E1-E6 used together with comparison electrodes C1-C6 to detect redox reaction, and a counter electrode 7 can balance the electrons added or removed by the working electrodes E1-E6, and a reference electrode 8 that controls the working electrodes E1-E6 potential. 30 To perform the measurements with electrodes E1-E6 and C1-C6, Kariyone explains that that these electrodes are not used simultaneously, but are used from one experiment to the next, in twelve successive experiments.³¹ Kariyone also does not use any transistors to perform his

²³ Fromhertz Decl., paragraph 15.

²⁴ Fromhertz Decl., paragraph 15.

²⁵ Fromhertz Decl., paragraph 15.

²⁶ Fromhertz Decl., paragraph 15.

²⁷ Fromhertz Decl., paragraph 16.

²⁸ Fromhertz Decl., paragraph 16.

²⁹ Fromhertz Decl., paragraph 16.

³⁰ Fromhertz Decl., paragraph 17.

³¹ Fromhertz Decl., paragraph 17.

measurement, but applies electrical fields between two electrodes.³² Consequently, contrary to the position taken page 4-5 of the Office Action, Kariyone does not teach initial detection of the immobilization of a probe before detection of hybridization of targets to the probes, and does not imply an initial detection of the immobilization of a probe.³³

Lindsay is directed to a measurement system using a FET device, where fluids are placed on a channel region and a change in is detected, and Kariyone is using immobilized enzymes between two electrodes E1-E6 and C1-C6 to measure electric current in a solution with electrochemistry, a selective membrane, and an enzyme membrane.³⁴ Thus, Lindsay and Kariyone describe substantially different measurement principles, and a person having ordinary skill in the art would not look to Kariyone as basis to modify the device of Lindsay.35

Although Lindsay and Kariyone both describe detecting molecules, a person having ordinary skill in the art, at the time the invention of Claim 1 in the present application was made, would not have thought to combine these two very disparate measurement principles.³⁶ Furthermore, the fact that measurements of current are used in both Lindsay and Kariyone to detect the fixation of a molecule does not mean that Lindsay and Kariyone are analogous.³⁷

There are several differences between Lindsay and Kariyone. In Kariyone, chemical reactions generate charge carriers in a solution and electrical currents flowing through the membranes are measured.³⁸ In Lindsay, there are no chemical reactions, no membranes and no electrical current flow in the solution.³⁹ Indeed, the field of electrochemistry (see Kariyone) is very different from the field of the present application, which performs

³² Fromhertz Decl., paragraph 17.

³³ Fromhertz Decl., paragraph 17.

³⁴ Fromhertz Decl., paragraph 18.

³⁵ Fromhertz Decl., paragraph 18.

³⁶ Fromhertz Decl., paragraph 19.

³⁷ Fromhertz Decl., paragraph 19.

³⁸ Fromhertz Decl., paragraph 20.

³⁹ Fromhertz Decl., paragraph 20.

electronic detection with FET transistors.⁴⁰ A person having ordinary skill in the art, at the time the invention defined by Claim 1 of the present application was made, would consider Lindsay and Kariyone to be non-analogous art.⁴¹

In addition, the electrodes of <u>Kariyone</u> cannot be readily included in the device of <u>Lindsay</u>. The electrochemical detection with electrical current in solution and the electrostatic detection are incompatible, and a person having ordinary skill in the art would not combine the two entirely different approaches. Claim 1 of the present application has nothing to do with a combination of <u>Kariyone</u> and <u>Lindsay</u>. In any case, to include the electrodes of <u>Kariyone</u> in the device of Lindsay would have required knowledge and skill beyond the level of the person having ordinary skill in the art, and would have required a substantial reconstruction of the method of <u>Lindsay</u> that a person having ordinary skill in the art could not make.

Thus, in view of the factual evidence provided by the declaration of Dr. Fromhertz, the statement at pages 4-5 of the Office Action issued December 7, 2009 is *incorrect*:

It would therefore have been obvious to a person of ordinary skill in the art at the time the claimed invention was made to have modified the method as taught by Lindsay to further comprise the initial detection of the immobilization of a probe as taught by Kariyone et al to arrive at the instantly claimed method with a reasonable expectation of success. The ordinary artisan would have been motivated to make the modification because said modification would have resulted in a method having the added advantage of providing a quality control indicator for each of the sensors of the method as a result of confirming the stable immobilization of the probe to the surface as explicitly taught by Kariyone et al. (column 17, lines 1-10). In addition, it would have been obvious to the ordinary skilled artisan that the known technique of using the initial detection of the immobilization of a probe as taught by Kariyone et al could have been applied to the method of Lindsay et al with predictable results because the known technique of using the initial

⁴⁰ Fromhertz Decl., paragraph 20.

⁴¹ Fromhertz Decl., paragraph 20.

⁴² Fromhertz Decl., paragraph 21.

⁴³ Fromhertz Decl., paragraph 21.

⁴⁴ Fromhertz Decl., paragraph 21.

⁴⁵ Fromhertz Decl., paragraph 21.

detection of the immobilization of a probe as taught by Kariyone et al predictably results in verification of stably immobilized probes.⁴⁶

Accordingly, a person of ordinary skill in the art, at the time the claimed invention was made, would not modify <u>Lindsay</u>, based on <u>Kariyone</u>, to have an initial detection of the immobilization of a probe as discussed on pages 4-5 of the Office Action.

Furthermore, a person of ordinary skill in the art, at the time the claimed invention was made, would not modify <u>Lindsay</u>, based on <u>Kariyone</u> and <u>Hafeman</u>, to have the claimed "fixing a potential of the electrolyte solution which covers said active zones with an electrode that applies a gate source voltage to the field effect transistors, the electrode being immerged in said electrolyte solution."

As noted above, in <u>Lindsay</u>, it is *not possible* to fix both the potential of the fluid, for example the non-hybridizing target DNA, and the gate voltage, so that it will be the same for all the FET transistors used.⁴⁷

Hafeman is not directed to any field-effect transistors, but is directed to a capacitively operated device for detecting particles having an electrode 10 and a counter-electrode 14. Hafeman's electrode 10 is made of a substrate that has doped semiconductor material, for example n type of p type, with regions or "pixels" that are electrically isolated from each other. Moreover, in Hafeman, these regions can be similarly doped, or oppositely doped, and when they are similarly doped, there will be a positively doped barrier 17 separating each of the regions from each other. In addition, Hafeman's electrode 10 is coated with a uniform insulating layer and the particle detection is done by measuring the capacitance between the electrodes 10 and 14.

Fromhertz Decl., paragraph 21.

⁴⁷ Fromhertz Decl., paragraph 10.

⁴⁸ Fromhertz Decl., paragraph 23.

⁴⁹ Fromhertz Decl., paragraph 23.

⁵⁰ Fromhertz Decl., paragraph 23.

⁵¹ Fromhertz Decl., paragraph 23.

The electrodes of Hafeman play a different role than the electrode in Claim 1 of the present application.⁵² In Hafeman, detection is done by impedance measurements, a capacitive measurement technique that requires at least two opposing electrodes to sustain an AC current.⁵³ The electrode configuration described by Hafeman is often employed in this field to eliminate potential differences associated with electrochemistry at the current electrodes.⁵⁴ (See for instance Bard&Faulkner, Electrochemical Methods: Fundamentals and Applications, excerpt submitted herewith.) The electrode configuration of <u>Hafeman</u> has nothing to do with the FET configurations of Lindsay or the invention of Claim 1 in the present application.⁵⁵ A person of ordinary skill in the art, at the time the invention defined by Claim 1 of the present application was made, would not have combined the teachings of Hafeman with Lindsay.⁵⁶

Hafeman does not teach a person of ordinary skill in the art, at the time the invention of Claim 1 of the present application was made, to modify Lindsay to fix the potential of the active zones with an electrode that applies a gate source voltage to the FETs.⁵⁷ The statements at page 6, lines 3-19 of the Office Action mailed December 7, 2009 are incorrect for the reasons stated above.⁵⁸

Thus, a person of ordinary skill in the art, at the time the claimed invention was made, could not properly combine Lidnsay, Kariyone, and Hafeman to arrive at the claimed "fixing a potential of the electrolyte solution which covers said active zones with an electrode that applies a gate source voltage to the field effect transistors, the electrode being immerged in said electrolyte solution."

⁵² Fromhertz Decl., paragraph 24.

⁵³ Fromhertz Decl., paragraph 24.

⁵⁴ Fromhertz Decl., paragraph 24.

⁵⁵ Fromhertz Decl., paragraph 24.

⁵⁶ Fromhertz Decl., paragraph 24.

⁵⁷ Fromhertz Decl., paragraph 25.

⁵⁸ Fromhertz Decl., paragraph 25.

In view of the above-noted distinctions, and the evidence provided by the Fromhertz declaration, Applicants respectfully submit that Claim 1 (and any claims dependent thereon) patentably distinguish over <u>Lindsay</u>, <u>Kariyone</u>, and <u>Hafeman</u>, when taken in proper combination.

Consequently, in view of the present request for reconsideration, no further issues are believed to be outstanding in the present application, and the present application is believed to be in condition for formal Allowance. A Notice of Allowance for Claims 1-17 is earnestly solicited.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,

MAIER & NEUSTADT, L.L.P.

Customer Number 22850

Tel: (703) 413-3000 Fax: (703) 413 -2220 (OSMMN 07/09) Gregory J. Maier Attorney of Record Registration No. 25,599

Joseph E. Wrkich Registration No. 53,796